

THREADED ROD

Grade 2 Zinc Clear

Rods are clear zinc finish. Used in a variety of fastening applications such as, structural fastening, hanging, wall mounting and bracing. All are three foot lengths.



Coarse Thread

Size	Part No.	Qty.
1/4 - 20 x 36"	2008052	5
5/16 - 18 x 36"	2008053	5
3/8 - 16 x 36"	2008054	5
7/16 - 14 x 36"	2008055	5
1/2 - 13 x 36"	2008322	3
5/8 - 11 x 36"	2008056	3
3/4 - 10 x 36"	2008057	3
7/8 - 9 x 36"	2008058	3
1 - 8 x 36"	2008059	3

Fine Thread

Size	Part No.	Qty.
3/4 - 16 x 36"	2009305	3
1 - 14 x 36"	2008060	3

THREADED ROD

Grade B7 Zinc Yellow

Grade B7 rods are through hardened 125PSI minimum tensile strength. Hardness is Rc25-34. Rods are yellow zinc finish. Used in a variety of fastening applications such as, structural fastening, hanging, wall mounting and bracing. All are three foot lengths.



Coarse Thread

Size	Part No.	Qty.
1/4 - 20 x 36"	2008036	5
5/16 - 18 x 36"	2008037	4
3/8 - 16 x 36"	2008038	3
7/16 - 14 x 36"	2008039	2
1/2 - 13 x 36"	2008040	2
5/8 - 11 x 36"	2008041	2
3/4 - 10 x 36"	2008042	2
7/8 - 9 x 36"	2008043	1
1 - 8 x 36"	2008044	1

Fine Thread

Size	Part No.	Qty.
1/4 - 28 x 36"	2009306	5
5/16 - 24 x 36"	2008045	4
3/8 - 24 x 36"	2008046	3
1/2 - 20 x 36"	2008047	2
5/8 - 18 x 36"	2008048	2
3/4 - 16 x 36"	2008049	2
7/8 - 14 x 36"	2008050	1
1 - 14 x 36"	2008051	1

**EXTENDED PRONG
 COTTER PINS**

Low Carbon Steel Zinc Clear

Locking pins used on shafts or screws to lock nuts in place. Parts meet or exceed ASME/ANSI B18.8.1 specifications. Parts are zinc clear plated. Zinc Yellow may be substituted.



Size	Part No.	Qty.
1/16 x 1/2"	1564000	100
1/8 x 1 1/4"	1564055	100
1/8 x 1 1/2"	1564060	100
5/32 x 1 1/2"	2008027	100
5/32 x 2"	2008028	100
3/16 x 1 1/2"	2008029	100
3/16 x 2"	1840612	100
1/4 x 1 1/2"	2009302	100
1/4 x 2"	2008030	100
1/4 x 2 1/2"	1840538	100
1/4 x 3"	2008031	100
1/4 x 4"	2008032	100
5/16 x 2 1/2"	2008033	100
5/16 x 3"	2008034	100
3/8 x 3"	2008035	50

CABLE & WIRE TIES
Black Nylon



Ultra violet light sensitive nylon ties designed for all types of banding and securing. Tapered end has "serrations" allowing the tie to lock in place during installation. Cable ties are measured as follows: if size is 7/8 x 4; "7/8" is the bundle diameter and "4" is the overall cable tie length.

Size	Part No.	Qty.
7/8 x 4	1876034	100
1 1/4 x 6	2009238	100
1 3/4 x 8	2009240	100
4 x 15 1/2	2009237	100
9 x 32	2009239	25